

PRODUCT: Ignite 108

ANALYSIS DATE 4/13/2010

TEST	METHOD	UNITS	RESULTS
Distillation - IBP	ASTM D86	F	133.9
5%		F	161.1
10%		F	167.4
20%		F	170.6
30%		F	171.3
40%		F	171.7
50%		F	171.9
60%		F	172.0
70%		F	172.2
80%		F	172.4
90%		F	172.9
95%		F	173.8
Distillation - EP		F	180.5
Recovery		vol %	98.2
Residue		vol %	0.8
Loss		vol %	1.0
API Gravity	ASTM D4052	°API	47.7
Specific Gravity, 60 F	ASTM D4052		0.7896
RVP	ASTM D5191	psi	4.54
Lead	ASTM D3237	g/l	0.002
Oxidation Stability	ASTM D525	minutes	> 1440
Color			Green